A dynamic and generic cloud computing model for environmental analysis using in-situ sensing data applied to glacier mass balance (Mer de Glace, Chamonix; **East Loven Glacier, Spitsberg)** 

**E. RANISAVLJEVIC**<sup>1</sup>, F. DEVIN<sup>1</sup>, Y. LE NIR<sup>1</sup>, J.M. FRIEDT<sup>2</sup>, C. MARLIN<sup>3</sup>, M. GRISELIN<sup>4</sup>, D. LAFFLY<sup>5</sup>

<sup>1</sup> Ecole International des Sciences du Traitement de l'Information, Pau, France
 <sup>2</sup> Univ. de Franche-Comté, FEMTO-ST, UMR 6174 CNRS, Besançon, France
 <sup>3</sup> Univ. de Paris-sud, IDES, UMR 8148 CNRS, Orsay, France
 <sup>4</sup> Univ. de Franche-Comté, THEMA, UMR 6049 CNRS, Besançon, France
 <sup>5</sup> Univ. de Toulouse, GEODE, UMR 5602 CNRS, Toulouse, France

### Summary

#### Introduction

- I. Snow cover and glacier evolution
  - II. In-situ sensing constraints
- III. Cloud computing and Web Services
  - IV. Tasks architecture
    - V. Model
    - Conclusion


### Introduction

- Hydro Sensor FLOWS project, supervised by M. Griselin (C. Marlin and D. Laffly)
  - Map the temporal evolution of the snow cover
  - Couple it with a hydrologic model
- East Loven glacier: experimental field
  - 4 years of different readings
  - Generate a huge data base

How can Cloud Computing improve the processing of the data base?

# East Loven glacier






### **Snow Cover and Glacier Evolution**

- Remote sensing: daily satellite imagery is not always accessible
  - Cost
  - Poor weather conditions (heavy cloud cover)
  - Fast events not visible
- In situ sensing: Ground based autonomous automated digital camera
  - 3 pictures / day
  - Huge data base
  - Reconstruct the satellite view
  - (D. Laffly et al., Cambridge 2010)

# Six digital cameras are positioned around the glacier basin, providing complete glacier coverage









©Formosat

## In-situ sensing: image processing

 Projection of the picture, from the oblique view to a plan view



 Classify the different phenomena (snow, ice)

Constraints processing



# *In-situ* Constraints: Atmospheric Disturbance



E. Ranisavljevic et al., A dynamic and generic cloud computing model for environmental analysis using in-situ sensing data applied to glacier mass balance


# In-situ Constraints: Electronic Deficiency



- Poor weather conditions
  - Microcontroller "asleep" for several days
- Electromagnetic perturbation: reset of the microcontroller
  - 6 pictures / day
  - Discharge of the camera intern battery
    - Loss of the picture's date

# In-situ Constraints: Geometry Variations

Modification of the shooting's parameters



# *In-situ* constraints adjusted by computer

- Manually process all the pictures (over 30 000)
- Specific and heterogenous tools

#### Real need to provide an application :

- dynamically change the processing
- be as generic as possible to fit other needs
- avoid human operations as much as possible

## **Cloud Computing**

Set of resources, servers and applications offered "as a service" over a network.


#### Advantages:

- Easiness of access
- Large storage capacity
- Lightness of application
- Modular : add, remove, modify services
- Scalable
  - Increase of users connected to the service
  - Increase the computing capacity according to the needs
  - Fault tolerance


### **Web Services**

- Software offered as a service (SAAS)
- Multiple tasks
  - Cleaning / Usability
  - Dating
  - Cropping
  - Projecting
  - Constructing a mosaic
  - Classify glacier's phenomena (ice, snow ...)


### **Tasks Architecture**




### **Tasks Architecture**



### Planner and Scheduler






E. Ranisavljevic et al., A dynamic and generic cloud computing model for environmental analysis using in-situ sensing data applied to glacier mass balance


# **Example: Cropping Service**

List of control points, Picture

Cropping Service

Picture cropped





E. Ranisavljevic et al., A dynamic and generic cloud computing model for environmental analysis using in-situ sensing data applied to glacier mass balance

### Conclusion

- Model:
  - Generic (web services)
  - Dynamic (planner and scheduler)
- The environmental sciences and the geoengineering generate a huge data base (Big Data). Cloud computing is an answer to some processing constraints and storage constraints.
- Evolution of the languages and paradigms of computer science.

